EEDAL 2011



May 25, 2011


BNordman@LBL.gov — eetd.LBL.gov/ea/nordman

Slide 1 of 23

LAWRENCE BERKELEY NATIONAL LABORATORY

Overview

- The "User Interface Standard" proposition
- · What we found for lighting
- · Next steps



Core Team

Bruce Nordman, Jessica Granderson (LBNL)

Kelly Cunningham, Katharine Wu (Calif. Lighting Technology Center)

Also

Kostas Papamichael (CLTC), Alan Meier (LBNL)

Slide 2 of 23

The "User Interface Standard" proposition


- Lighting energy use is determined in part by instructions from user
- Ability of user to convey instructions to lighting controls relies on communication
- Communication requires a common language

Therefore

Slide 3 of 23

 Lighting energy use can be reduced with common language for controls **User Interfaces and Energy**

 Lighting, climate control, power control of electronics, cars, batteries, windows, ...



· UI is conceptually separate from device

Slide 4 of 23

Lighting, Controls, Interfaces

 Past efficiency initiatives on sources, controls, digital interfaces, or combinations of these



The Lighting Control User Interface (LC UI) is new addition

Components of UI Standard

- Visual elements
 - Terms
 - Symbols
 - Colors
- · Dynamic content
 - Indication
 - Actuation

- · Audio elements
 - Sounds
 - Words
- · Tactile elements
 - Identification
 - Actuation
- Concepts
 - "collections of meaning"
- · Appear in hardware, software, documentation, culture

Slide 6 of 23

Standards Symbols

- Tape transport
 - since generalized to any medium



Underlying concept: linear representation of medium

Slide 7 of 23

User Interfaces

- Standard Interface elements common throughout daily life
- Key to safety, ease of use, efficiency
- Many use graphics, color, location, etc. to improve functionality and reduce languagedependence
- Commonality limited to comprehension needs

Can deviate from standards when there is a



Slide 8 of 23

UI Standard Concept — Restated

- · If User Interface
 - elements

- arrangement

are

- clear

- consistent

then maximize chances of optimal matching of user desires with service delivered

- · Consistent >> clear
- Should be global




Slide 9 of 23

Power control elements



Key Elements of IEEE 1621 - Power Control


- 3 Basic Power States: On, Sleep, Off ...
- ... with standard colors: Green, Amber, Off
- Sleep Metaphor











- - A width is one half of radius
 - B) 23° the tilt of the earth on its axis
 - C Crescent moon opening to the right
 - D Points exactly 180° apart
 - (E) Can be used open (or filled- (

User Interface Standards

- Types of UI Standards
 - Symbols
 - Indicators
 - Actuation
 - UI design principles
- Integrated UI standards
 - IEEE 1621: Power control)
 - SAE J2402: Automobile dashboard elements
 - Surface Vehicle Standard, Road Vehicles —Symbols for Controls, Indicators, and Tell-tales


Slide 12 of 23

Symbols

· Derived from objects




Learned



Symbols — Combinations

· More complicated concepts combine two or more symbols



Slide 14 of 23

Symbols — Use of letters, words

· Gear shift letters and numbers















Slide 15 of 23

Slide 17 of 23

What we found

- No existing standard on lighting control user interfaces specifically
- · Many standards that inform UIs generally
 - Indicators, actuators, man-machine interaction principles
- Some relevant symbols
- Common content
 - Elements for multiple end uses (and non-energy)
- · Existing controls
 - Over 40% had no visual cues (beyond mechanical construction)
 - Remain opaque even when features added
 - Words use about 3x as often as symbols

Slide 16 of 23

Some of my switches






Standard symbols

- Organizations: ISO, IEC, SAE
- · General lighting and variable control



- _____
- General user interface symbols
- Scheduling, time

Common content



Slide 18 of 23

Concepts in lighting


· Lighting in General

-the overall concept of lighting




Switching

-basic turning on and off of a light source





-control by time of day, or time since actuation




-controls that automatically change light in response to sensors (occupancy, daylight) or other information

Color

Scenes

-determining specific color of light



-presets for groups of fixtures

Slide 19 of 23



- Establish consensus for need for Lighting Control User Interface standard
 - Policy
 - Industry
- Expand survey to global products, standards
- Consider accessibility (disabled, elderly, young, ...)
- Develop draft content
- Plan for periodic expansions
- Identify standards organizations
 - US: NEMA? Global: CIE? JTC1?

Slide 20 of 23

Possible initial content

(not part of project)

- · Standard symbols
 - Lighting in general



- Occupancy sensor
- Daylight sensor
- Dimming
- Interaction
 - "Up = On Down = Off"
- Sensor indications
 - Colors
 - Flashing

Slide 21 of 23

Summary

- User Interface Standard concept is compelling
 - Existing examples show success, need
- No fundamental barrier to creating one for lighting
- Let's do it!

Slide 22 of 23

